

Great Bend® Compact Loaders Deliver More Performance For All Your Jobs

Whether you plant shrubs, prepare flower beds, handle mulch or decorative rocks, move trees, clean out barns and stables, mend fences, feed horses and other livestock, or perform dozens of other chores, you want more performance from your compact loader. Great Bend® Compact Loaders in a choice of mid-mount and front-push models deliver it.

For more than 30 years, Great Bend Compact Loaders have delivered more performance in:

- Lift height
- Lift capacity
- Digging depth
- Productivity
- Easy operation
- Durability
- Appearance
- Customer service

Get more performance for all your jobs. Buy Great Bend Compact Loaders.

Great Bend® Versatility	
Lift capacities to 2350 lbs	<
Lift heights to 110 inches	V
Easy to operate for all experience levels	~
Mount tractors with belly mower compatibility	~
Quick attachment interchange	V

More Lift Height, More Lift Capacity, More Digging Depth

Compact loaders must do hard, demanding work. Great Bend Compact Loaders are designed and built for it. Lift capacities are large—up to 2350 lbs. to maximum height at pivot pin. Lift heights are high—up to 110 inches at pivot pin. Digging depths go deep—five inches for every Great Bend mid-mount model.

More Productivity In More Applications

Compact loaders must be productive. Great Bend Compact Loaders are. They drive up productivity by reducing time on the job, cutting downtime and maintenance costs. Easy operation, intuitive controls, and elimination of the time-consuming, fatiguing jerkiness of other loaders saves time and makes movements more precise. Tight valve metering delivers smooth operation. Valve feathering is easy. Parallel valves or optional series regenerative valves mean you can raise and dump or lower and curl without slowing down your work. Compact controls make it easy to mount and dismount your tractor from either side.

Compact loaders must handle many different jobs. Great Bend Compact Loaders do. Versatility is built into Great Bend Compact Loaders. They can be equipped with a variety of attachments. All of them attach and detach quickly. Great Bend Compact Loaders create a business system for landscapers and contractors. The skid-steer quick attach system increases productivity with super-fast attachment changes. Just push the handles down to lock and pull up to unlock in less than a minute. Farmers, hobby farmers and country residents can turn their tractors into multi-tasking machines with Great Bend attachments and belly mower compatibility. Matching your loader and tractor is easy. Great Bend loaders are the perfect fit for more than 3,000 tractor/loader combinations.



Easy Operation-Even For Novice Operators

Compact loaders must perform in the hands of different operators and even novice operators. Great Bend Compact Loaders do. Controls are intuitive, easy to use and easy to reach. You don't have to re-familiarize yourself each time your reach for the controls. They do what you expect them to do. Easy operation saves time, makes you more productive and reduces operator fatigue. Novice operators are able to do the work of experienced veterans.

Durability That Saves Time And Money

Compact loaders must be durable. Great Bend Compact Loaders are. For more than 30 years, the Great Bend® name has meant durability. From the ground up, Great Bend Compact Loaders are built for it. Booms are big and strong with boxed steel beams composed of four load bearing surfaces. Robotic welding in key areas such as the pedestal and boom - means consistent high quality welds. Great Bend Compact Loaders are built with many of the same rugged features as Great Bend's famous Ag Loaders. The same high carbon steel. The same Great Bend designed and manufactured buckets with reinforcement for long life. The same computer designing processes for mounting kits that ensures attachment at tractor strong points. Many Great Bend loaders built more than

Great Bend
Compact Loaders
must pass tests that
equate to 25 years of work
in all kinds of weather.

30 years ago are still in operation today.

Great Bend® Durability

Booms built of strong boxed steel beams

Consistent penetration of robotic welds

Superior hydraulic fittings and valves

Strategically positioned torque tubes to handle side loads

Reinforced Great Bend built buckets

Great Bend® Front-Push Compact Loaders



224 for 12-25 PTO HP Tractors





for 25-50 PTO HP Tractors

Appearance That Signals Your Professionalism

Compact loaders should look good. Great Bend Compact Loaders do. Form follows function in Great Bend Compact Loader design. They look strong, productive and professional because they are. You can see the strength of the booms. You can feel the consistency of the robotic welds. You can experience the easy touch of the controls. Great Bend Compact Loaders complement both older model tractors and modern tractor designs. Mid-mount models deliver every bit of the superior visibility provided by today's modern tractors. Front-push models enhance the appearance of older tractors. Great Bend Compact Loaders look as good as they perform.

Customer Service That Keeps You On The Job

Compact loaders must be ready when you are. Great Bend Compact Loaders are. Because Great Bend Compact Loaders are durable, easy to maintain and supported by Great Bend's nationwide dealer network and Parts FastSM parts support system. Great Bend dealers know loaders. The Parts Fast System supports them with 97% of service parts shipped to dealers on the same day they are ordered. Maintenance is minimal and easy. Grease zerks are located where they are easy to reach so they get serviced.

Great Bend® Productivity		
Smooth, comfortable operation	V	
Easy valve feathering	V	
Simultaneous raise and dump	V	
Simultaneous lower and curl	V	
Easy to reach, intuitive controls	V	
Easy to access grease zerks	V	

Great Bend Means Great Value

Great Bend Compact Loaders are great values.

They provide more lift capacity, more lift height and more digging depth. They deliver productivity in a wide variety of jobs. They are easy to operate.

They are durable, easy to maintain and attractive.

They are supported by a nationwide dealer network and superior parts support. Get a great value.

See the Great Bend Compact Loaders at your Great Bend dealer.




2133

For 30-50 PTO HP Tractors
















Versatility, Durability Features

1 High Lift Height Great Bend Compact Loaders deliver high lift heights—up to 110 inches.

2 Built For Strength Great Bend Compact Loaders are strong. The large booms are built with four-sided boxed construction to spread loads.

3 Big Loader Features Great Bend Compact Loaders have many of the same rugged features as Great Bend's famous Ag Loaders – high carbon steel, computer designed mounting kits that attach to tractor strong points, high quality hydraulic components, robotic welds.

4 High Lift Capacity Great Bend Compact Loaders lift the loads you encounter – up to 2350 lbs.

5 Wide Choice Of Attachments

A variety of attachments make Great Bend Compact Loaders perfect for contractors, landscapers, farmers, hobby farmers and rural residents. They include buckets, fork lift attachments and bale spears.

6 Skid Steer Quick Attach It takes less than a minute to attach/detach attachments. Push the handles down to lock and pull up to unlock. Optional on 2130 and 2133.

Style, Fit And Color **Features**



Smooth Multi-Function Operation Easy to feather valves allow operators of all experience levels to raise and dump or lower and curl at the same time.

Controls That Don't Get In The Way

Control valves are easy to use and adjustable for operator comfort. Operator can mount tractor from either side.

Stylish Grill Guards

Great Bend grill guards are tough and stylish. They match modern tractor designs and older tractor designs.



Standard Parking Stands *Great Bend* Compact Loaders come with what you need as standard equipment. Parking stands are standard for every model.

Easy Maintenance *Easy maintenance* increases loader life. Great Bend Compact Loaders are easy to maintain. Grease zerks are easily accessible.



superior fit. Kits attach

to tractor strong points.

Colors That Match Your Tractor

Match your tractor color perfectly. You can't tell the difference between

tractor and loader paint.

Great Bend® Made Buckets Made in our modern loader plant, Great Bend buckets are strong and durable. Boxed construction adds to their strength.

> The Visibility You **Need** Compact loader operations can be close. Good visibility is important. Great Bend Compact Loaders deliver it.

More Versatility Great Bend Compact Loaders create a business system for landscapers and contractors and turn tractors into multi-tasking machines for farmers, hobby farmers and rural dwellers.

GREAT BEND® MID-MOUNT COMPACT LOADERS

Mid-Mount Loader Specifications	2125	2130	2133
Tractor PTO HP Range	15-25	20-40	30-50
2WD/FWA	2WD/FWA	2WD/FWA	2WD/FWA
Max. Lift Height Measured at Pivot Pin	86"	103"	110"
Max. Lift Height Under Level Bucket	81"	96"	100"
Max. Dump Angle	45°	40°	45°
Digging Depth	5"	5"	5"
Lift Capacity to Max. Height at Pivot Pin	825 lbs.	1530 lbs.	2350 lbs.
Lift Capacity to Max. Height 31.5" Forward of Pivot Pin	570 lbs.	880 lbs.	1500 lbs.
Lift Capacity to 59" Height at Pivot Pin	940 lbs.	1730 lbs.	2700 lbs.
Lift Capacity to 59" Height 31.5" Forward of Pivot Pin	710 lbs.	1195 lbs.	1850 lbs.
Breakout Force at Pivot Pin	1335 lbs.	2370 lbs.	4000 lbs.
Breakout Force 31.5" Forward of Pivot Pin	965 lbs.	1530 lbs.	2900 lbs.
Rollback Force at Max. Height 31.5" Forward of Pivot Pin	1935 lbs.	1625 lbs.	2300 lbs.
Rollback Force at 59" Height 31.5" Forward of Pivot Pin	2300 lbs.	2020 lbs.	3400 lbs.
Rollback Force at Ground Level 31.5" Forward of Pivot Pin	1700 lbs.	1680 lbs.	2800 lbs.
Specifications Based On Tractor System of	1875 psi hyd. pressure & 6 gpm pump capacity	2000 psi hyd. pressure & 10 gpm pump capacity	2500 psi hyd. pressure & 10 gpm pump capacity

GREAT BEND® FRONT-PUSH COMPACT LOADERS

Front-Push Loader Specifications	224	244	284
Tractor PTO HP Range	12-25	15-35	25-50
2WD/FWA	2WD/FWA	2WD/FWA	2WD/FWA
Max. Lift Height Measured at Pivot Pin	76"	97"	107"
Max. Lift Height Under Level Bucket	71"	90"	101"
Max. Dump Angle	50°	50°	50°
Digging Depth	2.5"	4"	3"
Lift Capacity to Max. Height at Pivot Pin	725 lbs.	1150 lbs.	1970 lbs.
Lift Capacity to Max. Height 31.5" Forward of Pivot Pin	515 lbs.	875 lbs.	1270 lbs.
Lift Capacity to 59" Height at Pivot Pin	800 lbs.	1365 lbs.	2200 lbs.
Lift Capacity to 59" Height 31.5" Forward of Pivot Pin	595 lbs.	1085 lbs.	1570 lbs.
Breakout Force at Pivot Pin	1340 lbs.	1995 lbs.	2985 lbs.
Breakout Force 31.5" Forward of Pivot Pin	960 lbs.	1525 lbs.	2005 lbs.
Rollback Force at Max. Height 31.5" Forward of Pivot Pin	1155 lbs.	2040 lbs.	2640 lbs.
Rollback Force at 59" Height 31.5" Forward of Pivot Pin	1330 lbs.	2410 lbs.	3220 lbs.
Rollback Force at Ground Level 31.5" Forward of Pivot Pin	1055 lbs.	1820 lbs.	2145 lbs.
Specifications Based On Tractor System of	1875 psi hyd. pressure & 4 gpm pump capacity	2000 psi hyd. pressure & 6 gpm pump capacity	2450 psi hyd. pressure & 9 gpm pump capacity



Dealer Info:

Great Bend®Manufacturing Company A division of Bush Hog, L.L.C. 101 Bush Hog Boulevard Telford, TN 37690 (423) 788–7100